

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Camden City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	90	11	5	56	95	12
AIDS-CD4 Only	#	#	#	#	280	35
HIV Only	#	#	#	#	417	53
-----	-----	---	-----	---	-----	---
Total	783	100	9	100	792	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	55	7
5-12	#	#	Black, Not Hispanic	#	#	#	#	425	54
13-19	5	1	Hispanic	302	39	5	56	307	39
20-29	45	6	Other/Unknown	5	1	0	0	5	1
30-39	224	28	-----	-----	---	-----	---	-----	---
40-49	320	40	Total	783	100	9	100	792	100
50+	189	24							
Unk.	0	0							
-----	-----	---							
Total	792	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	130	27	0	0	130	17
Injection drug user (IDU)	196	41	83	28	279	36
MSM/IDU	20	4	0	0	20	3
Heterosexual contact	60	12	135	45	195	25
Risk not reported/other***	75	16	79	27	154	20
-----	-----	---	-----	---	-----	---
Total	481	100	297	100	778	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	8	100	6	100	14	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	8	100	6	100	14	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Camden City Residents

1. Disease Category	Adult/Adolescent*		Pediatic*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	161 (19)	134 (84)	10 (43)	8 (80)	171 (20)	142 (84)
Other OI w/o PCP	233 (28)	172 (74)	13 (57)	8 (62)	246 (28)	180 (73)
KS Alone	5 (1)	5 (100)	0 (0)	0 (.)	5 (1)	5 (100)
No Disease Listed	446 (53)	166 (38)	0 (0)	0 (.)	446 (51)	166 (38)
Total	845 (100)	477 (57)	23 (100)	16 (70)	868 (100)	493 (57)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatic*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	19	2	White, Not Hispanic	#	#	#	#	71	8
5-12	#	#	Black, Not Hispanic	450	53	6	26	456	53
13-19	#	#	Hispanic	323	38	16	70	339	39
20-29	149	17	Other/Unknown	#	#	#	#	#	#
30-39	347	40							
40-49	242	28	Total	845	100	23	100	868	100
Over 49	104	12							
Unknown	0	0							
Total	868	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	182	31	0	0	182	22
Injection drug user (IDU)	274	46	91	36	365	43
MSM/IDU	42	7	0	0	42	5
Heterosexual contact	43	7	119	47	162	19
Risk not reported/other***	52	9	42	17	94	11
Total	593	100	252	100	845	100

	Pediatic Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	12	92	10	100	22	96
Risk not reported/other***	#	#	#	#	#	#
Total	13	100	10	100	23	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Camden City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	10	10	100%
1987	16	16	100%
1988	22	20	91%
1989	31	28	90%
1990	37	33	89%
1991	60	49	82%
1992	70	57	81%
1993	100	69	69%
1994	74	48	65%
1995	83	52	63%
1996	55	29	53%
1997	71	32	45%
1998	28	11	39%
1999	42	#	#
2000	40	14	35%
2001	35	10	29%
2002	40	7	18%
2003	41	#	#
2004	9	0	0%
-----	-----	-----	-----
Total	868	493	57%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Camden City Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	39	8
5-12	#	#	Black, Not Hispanic	#	#	#	#	252	54
13-19	14	3	Hispanic	#	#	#	#	177	38
20-29	120	25	Other/Unknown	#	#	#	#	#	#
30-39	185	39	-----	-----	---	-----	---	-----	---
40-49	117	25	Total	464	100	8	100	472	100
Over 49	28	6							
Unknown	0	0							
-----	-----	---							
Total	472	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	66	24	0	0	66	14
Injection drug user (IDU)	111	40	57	30	168	36
MSM/IDU	9	3	0	0	9	2
Heterosexual contact	39	14	73	39	112	24
Risk not reported/other***	51	18	58	31	109	23
-----	-----	---	-----	---	-----	---
Total	276	100	188	100	464	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	8	100

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Camden City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	399	30	23	74	422	31
AIDS-CD4 Only	446	34	0	0	446	33
HIV Only	464	35	8	26	472	35
-----	-----	---	-----	---	-----	---
Total	1309	100	31	100	1340	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	110	8
5-12	#	#	Black, Not Hispanic	#	#	#	#	708	53
13-19	22	2	Hispanic	497	38	19	61	516	39
20-29	303	23	Other/Unknown	6	0	0	0	6	0
30-39	544	41	-----	-----	---	-----	---	-----	---
40-49	325	24	Total	1309	100	31	100	1340	100
Over 49	115	9							
Unknown	0	0							
-----	-----	---							
Total	1340	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	248	29	0	0	248	19
Injection drug user (IDU)	385	44	148	34	533	41
MSM/IDU	51	6	0	0	51	4
Heterosexual contact	82	9	192	44	274	21
Risk not reported/other***	103	12	100	23	203	16
-----	-----	---	-----	---	-----	---
Total	869	100	440	100	1309	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	16	94	14	100	30	97
Risk not reported/other***	#	#	0	0	#	#
-----	-----	---	-----	---	-----	---
Total	17	100	14	100	31	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Camden City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	7	7	100%
1986	21	16	76%
1987	29	24	83%
1988	36	30	83%
1989	37	33	89%
1990	77	55	71%
1991	105	65	62%
1992	144	69	48%
1993	118	54	46%
1994	119	47	39%
1995	112	51	46%
1996	93	25	27%
1997	86	20	23%
1998	56	13	23%
1999	61	11	18%
2000	46	10	22%
2001	53	6	11%
2002	64	11	17%
2003	62	0	0%
2004	12	0	0%
-----	-----	-----	-----
Total	1340	548	41%